

Reference Table by Machine Manufacturer

GOLDEN WHEEL									
Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
CS-3L-7241	130.15.010	KL							
	130.15.024	KL							
CS-3L-7243	130.15.010	KL							
CS-8BH	130.11.065	KL	JB6100-0A	Short gib					
	130.11.075	KL	JB6100-2A						
	130.11.205	KL		Short gib, thick thread					
CS-335BH	130.01.135	KH	JL6100-3A		130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL	JL6105-0A- JL6105-3A NO NBL-	
	130.01.147	KH	JL6100-0A		130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL	JL6105-0A- JL6105-3A NO NBL-	
CS-335U	130.01.147	KH	JL6100-0A		130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL	JL6105-0A	
CS-350	130.01.124	KH	JE6100-0A		130.06.019	KP	w/o NBL	JE6105-0A	
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
CS-350L	130.09.006	KH	JE6100-3A		130.10.000	KP	w/o NBL		
					130.10.054	KP	NBL		
CS-350L-T	130.09.207	KH		Under trimming mach.	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL	JE6105 3A	
	130.09.207DC10	KH		DC10 coated, under trimming mach.	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL	JE6105 3A	
CS-810	130.11.165	KL	JA6100-1A						
	130.11.165R	KL	JA6100-1A R	Regulating needle guard					
CS-820	130.11.165	KL	JA6100-1A						
	130.11.165R	KL	JA6100-1A R	Regulating needle guard					
CS-821	130.11.165	KL	JA6100-1A						
	130.11.165R	KL	JA6100-1A R	Regulating needle guard					
CS-822	130.11.165	KL	JA6100-1A						
	130.11.165R	KL	JA6100-1A R	Regulating needle guard					
CS-861	130.08.904	KK	JJ6100-1A	Short gib, w/o excentric milling for Asia market	130.08.014	KP	w/o NBL	JJ6105-1A	
CS-862	130.08.904	KK	JJ6100-1A	Short gib, w/o excentric milling for Asia market	130.08.014	KP	w/o NBL	JJ6105-1A	
CS-871L	130.15.016	KL	JC6100-022A						
CS-872L	130.15.016	KL	JC6100-022A						
CS-872-3	130.11.078	KL	JC6100-4A						
	130.11.116	KL	JC6100-010A						
CS-875L	130.19.010	KH	JD6100-3A		130.20.000	KP	w/o NBL		130.21.010
CS-875-3	130.16.000	KH	JD6100-5A		130.17.000	KP	w/o NBL	JD6105-0A	130.18.000

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl

Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
 Tel.: +39/0382/423413
 Fax.: +39/0382/423319
 E-Mail.: info@cerliani.it
 URL: <http://www.cerliani.it>

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
 C.F. e P.IVA (VAT Nr.) 02175920186
 IMPORT - EXPORT PV019626
 CAP.SOC € 1.010.000 INT.VERS.

GOLDEN WHEEL (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
CS-875-5	130.16.000	KH	JD6100-5A	Full gib	130.17.000	KP	w/o NBL	JD6105 0A	130.18.000
	130.16.051	KH	JC6100-033A	Short gib	130.17.000	KP	w/o NBL	JD6105 0A	130.18.051
CS-1100F	130.05.235	KH			130.06.019	KP	w/o NBL	JE6105-0A	
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
CS-1100H	130.05.271	KH			130.06.019	KP	w/o NBL	JE6105 0A	
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.517	KH		Open type lubrication system	130.06.019	KP	w/o NBL	JE6105 0A	
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.517TS	KH		Open type lubrication system, TS coated	130.06.019	KP	w/o NBL	JE6105 0A	
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
CS-1100S	130.05.271	KH			130.06.019	KP	w/o NBL	JE6105 0A	
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.517	KH		Open type lubrication system	130.06.019	KP	w/o NBL	JE6105 0A	
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.517TS	KH		Open type lubrication system, TS coated	130.06.019	KP	w/o NBL	JE6105 0A	
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
CS-2160	130.09.115	KH			130.10.013	KP	MF		
					130.10.050	KP	NBL		
CS-2161	130.09.115	KH			130.10.013	KP	MF		
					130.10.050	KP	NBL		
CS-2162	130.09.115	KH			130.10.013	KP	MF		
					130.10.050	KP	NBL		
CS-2180	130.01.129	KH			130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
CS-2280	130.03.040	KH			130.06.294	KP	w/o NBL	JL6105-2A	
CS-2401-T	130.08.904	KK	JJ6100-1A	Short gib, w/o excentric milling for Asia market	130.08.014	KP	w/o NBL	JJ6105-1A	
CS-3100-3	130.11.078	KL	JC6100-4A						
	130.11.116	KL	JC6100-010A						
CS-3100L	130.15.016	KL	JC6100-022A						
CS-3101	130.11.131	KL		Standard execution					
CS-3101L	130.15.128	KL							
CS-3150	130.16.000	KH	JD6100-5A		130.17.000	KP	w/o NBL		130.18.000
CS-3150-3	130.16.000	KH	JD6100-5A		130.17.000	KP	w/o NBL		130.18.000
CS-3150-5	130.16.000	KH	JD6100-5A		130.17.000	KP	w/o NBL	JD6105-0A	130.18.000
	130.16.051	KH	JC6100-033A	Short gib	130.17.000	KP	w/o NBL	JD6105-0A	130.18.051
CS-3150L	130.19.010	KH	JD6100-3A		130.20.000	KP	w/o NBL		130.21.010
	130.19.050	KH			130.20.035	KP	w/o NBL		130.21.048
CS-3600	130.01.000	KH			130.06.019	KP	w/o NBL	JE6105-0A	
CS-3610	130.11.075	KL	JB6100-2A						
	130.11.205	KL		Short gib, thick thread					
CS-3811	130.09.006	KH	JE6100-3A		130.10.054	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl

Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)

Tel.: +39/0382/423413

Fax.: +39/0382/423319

 E-Mail.: info@cerliani.it

 URL: <http://www.cerliani.it>

R.E.A 251809 - ISCR.REG.IMP.PV02175920186

C.F. e P.IVA (VAT Nr.) 02175920186

IMPORT - EXPORT PV019626

CAP.SOC € 1.010.000 INT.VERS.

GOLDEN WHEEL (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
CS-4150-BT	130.15.085	KL		Standard execution					
	130.15.085R	KL		Regulating needle guard					
	130.15.085RDC10	KL		Regulating needle guard, DC10 coated					
CS-4250-BT	130.15.085	KL		Standard execution					
	130.15.085R	KL		Regulating needle guard					
	130.15.085RDC10	KL		Regulating needle guard, DC10 coated					
CS-5100	130.05.235	KH			130.06.019	KP	w/o NBL	JE6105-0A	
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
CS-5100-5	130.05.271	KH			130.06.019	KP	w/o NBL	JE6105-0A	
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
CS-5100-5-BT	130.05.479	KH			130.06.298	KP	NBL		
CS-5100-BT	130.05.376	KH		Under trimming mach.	130.06.019	KP	w/o NBL	JE6105-0A	
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
CS-5100-H	130.05.271	KH			130.06.019	KP	w/o NBL	JE6105-0A	
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
CS-5100-H-BT	130.05.479	KH			130.06.298	KP	NBL		
CS-5100-HL	130.05.271	KH			130.06.019	KP	w/o NBL	JE6105-0A	
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
CS-5100-HL-BT	130.05.479	KH			130.06.298	KP	NBL		
CS-5150	130.05.235	KH			130.06.019	KP	w/o NBL	JE6105 0A	
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.271	KH			130.06.019	KP	w/o NBL	JE6105 0A	
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
CS-5150BT	130.05.479	KH			130.06.298	KP	NBL		
CS-5150L	130.09.006	KH	JE6100-3A		130.10.054	KP	NBL		
CS-5150L-BT	130.09.207	KH		Under trimming mach.	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL	JE6105 3A	
	130.09.207DC10	KH		DC10 coated, under trimming mach.	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL	JE6105 3A	
CS-5150S	130.05.235	KH			130.06.019	KP	w/o NBL	JE6105-0A	
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
CS-5100S-BT	130.05.376	KH		Under trimming mach.	130.06.019	KP	w/o NBL	JE6105-0A	
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
CS-5361N	130.11.165	KL							
	130.11.165R	KL	JA6100-1A R	Regulating needle guard					
CS-5362N	130.11.165	KL							
	130.11.165R	KL	JA6100-1A R	Regulating needle guard					

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl

Società a socio unico

 Via Mascherpa, n.61 - I-27100 Pavia (Italy)
 Tel.: +39/0382/423413
 Fax.: +39/0382/423319
 E-Mail.: info@cerliani.it
 URL: <http://www.cerliani.it>

 R.E.A 251809 - ISCR.REG.IMP.PV02175920186
 C.F. e P.IVA (VAT Nr.) 02175920186
 IMPORT - EXPORT PV019626
 CAP.SOC € 1.010.000 INT.VERS.

GOLDEN WHEEL (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set				
CS-6000	130.05.235	KH			130.06.019	KP	w/o NBL	JE6105 0A					
					130.06.125	KP	MF						
					130.06.298	KP	NBL						
	130.05.271	KH			130.06.019	KP	w/o NBL	JE6105 0A					
					130.06.125	KP	MF						
					130.06.298	KP	NBL						
	130.05.517	KH		Open type lubrication system	130.06.019	KP	w/o NBL	JE6105 0A					
					130.06.125	KP	MF						
					130.06.298	KP	NBL						
	130.05.517TS	KH		Open type lubrication system, TS coated	130.06.019	KP	w/o NBL	JE6105 0A					
					130.06.125	KP	MF						
					130.06.298	KP	NBL						
CS-6000-BT	130.05.479	KH			130.06.298	KP	NBL						
CS-6100	130.09.006	KH	JE6100-3A		130.10.054	KP	NBL						
CS-6102	130.09.006	KH	JE6100-3A		130.10.054	KP	NBL						
CS-6102BT	130.09.207	KH		Under trimming mach.	130.10.000	KP	w/o NBL						
					130.10.007	KP	MF						
					130.10.045	KP	NBL	JE6105 3A					
	130.09.207DC10	KH		DC10 coated, under trimming mach.	130.10.000	KP	w/o NBL						
					130.10.007	KP	MF						
					130.10.045	KP	NBL	JE6105 3A					
CS-6103	130.09.006	KH	JE6100-3A	Short gib	130.10.054	KP	NBL						
					130.09.226	KH		Full gib	130.10.000	KP	w/o NBL		
									130.10.007	KP	MF		
					130.10.045	KP	NBL						
CS-6103N	130.09.006	KH	JE6100-3A		130.10.054	KP	NBL						
CS-6103N-BT	130.09.207	KH		Under trimming mach.	130.10.000	KP	w/o NBL						
					130.10.007	KP	MF						
					130.10.045	KP	NBL	JE6105 3A					
	130.09.207DC10	KH		DC10 coated, under trimming mach.	130.10.000	KP	w/o NBL						
					130.10.007	KP	MF						
					130.10.045	KP	NBL	JE6105 3A					
CS-6104	130.09.006	KH	JE6100-3A		130.10.054	KP	NBL						
					130.09.226	KH		Full gib	130.10.000	KP	w/o NBL		
									130.10.007	KP	MF		
					130.10.045	KP	NBL						
CS-6104N	130.09.006	KH	JE6100-3A		130.10.054	KP	NBL						
CS-6104N-BT	130.09.207	KH		Under trimming mach.	130.10.000	KP	w/o NBL						
					130.10.007	KP	MF						
					130.10.045	KP	NBL	JE6105 3A					
	130.09.207DC10	KH		DC10 coated, under trimming mach.	130.10.000	KP	w/o NBL						
					130.10.007	KP	MF						
					130.10.045	KP	NBL	JE6105 3A					
CS-6111B	130.08.594	KK	JAB6100-0A	Under trimming mach.	130.08.971	KP	NBL						
CS-6111BFT	130.08.594	KK	JAB6100-0A	Under trimming mach.	130.08.971	KP	NBL						
CS-6111BT	130.08.594	KK	JAB6100-0A	Under trimming mach.	130.08.971	KP	NBL						
CS-6111FT	130.08.594	KK	JAB6100-0A	Under trimming mach.	130.08.971	KP	NBL						
CS-6111T	130.08.594	KK	JAB6100-0A	Under trimming mach.	130.08.971	KP	NBL						

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl

Società a socio unico

 Via Mascherpa, n.61 - I-27100 Pavia (Italy)
 Tel.: +39/0382/423413
 Fax.: +39/0382/423319
 E-Mail.: info@cerliani.it
 URL: <http://www.cerliani.it>

 R.E.A 251809 - ISCR.REG.IMP.PV02175920186
 C.F. e P.IVA (VAT Nr.) 02175920186
 IMPORT - EXPORT PV019626
 CAP.SOC € 1.010.000 INT.VERS.

GOLDEN WHEEL (Continued)									
Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
CS-6112B	130.08.594	KK	JAB6100-0A	Under trimming mach.	130.08.971	KP	NBL		
CS-6112BFT	130.08.594	KK	JAB6100-0A	Under trimming mach.	130.08.971	KP	NBL		
CS-6112BT	130.08.594	KK	JAB6100-0A	Under trimming mach.	130.08.971	KP	NBL		
CS-6112FT	130.08.594	KK	JAB6100-0A	Under trimming mach.	130.08.971	KP	NBL		
CS-6112T	130.08.594	KK	JAB6100-0A	Under trimming mach.	130.08.971	KP	NBL		
CS-6120	130.09.006	KH	JE6100-3A		130.10.054	KP	NBL		
CS-6130	130.09.006	KH	JE6100-3A		130.10.054	KP	NBL		
CS-6130BT	130.09.207	KH		Under trimming mach.	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL	JE6105 3A	
	130.09.207DC10	KH		DC10 coated, under trimming mach.	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL	JE6105 3A	
CS-6132	130.09.006	KH	JE6100-3A		130.10.054	KP	NBL		
CS-6132BT	130.09.207	KH		Under trimming mach.	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL	JE6105 3A	
	130.09.207DC10	KH		DC10 coated, under trimming mach.	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL	JE6105 3A	
CS-6310	130.09.006	KH	JE6100-3A		130.10.054	KP	NBL		
CS-7162	130.11.084	KL							
CS-7162S	130.11.084	KL							
CS-7165	130.16.062	KH			130.17.000	KP	w/o NBL		130.18.062
CS-7165-BT	130.16.005	KH		For basting stitch	130.17.000	KP	w/o NBL		130.18.005
					130.17.015	KP	w/o NBL		130.18.006
	130.16.005	KH		For corner stitch	130.17.000	KP	w/o NBL		130.18.005
					130.17.015	KP	w/o NBL		130.18.006
CS-7165S	130.16.062	KH			130.17.000	KP	w/o NBL		130.18.062
CS-7165S-BT	130.16.005	KH		For corner stitch	130.17.000	KP	w/o NBL		130.18.005
CS-7172	130.15.016	KL	JC6100-022A						
CS-7172-BT	130.19.010	KH			130.20.000	KP	w/o NBL		130.21.010
CS-7175	130.19.010	KH			130.20.000	KP	w/o NBL		130.21.010
CS-7175-BT	130.19.030	KH			130.20.015	KP	w/o NBL		130.21.031
CS-7175H-BT	130.19.030	KH			130.20.015	KP	w/o NBL		130.21.031
CS-7361N	130.11.165	KL							
	130.11.165R	KL	JA6100-1A R	Regulating needle guard					
CS-7362	130.11.165	KL							
	130.11.165R	KL	JA6100-1A R	Regulating needle guard					
CS-7362N	130.11.165	KL							
	130.11.165R	KL	JA6100-1A R	Regulating needle guard					
CS-7500-5	130.05.271	KH			130.06.019	KP	w/o NBL	JE6105-0A	
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
CS-7500-5-BT	130.05.479	KH			130.06.298	KP	NBL		
CS-7800	130.12.186	KH			130.14.050	KP	w/o NBL		
					130.14.052	KP	NBL		
CS-8000-20	130.01.000	KH			130.06.019	KP	w/o NBL	JE6105-0A	

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl

Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
 Tel.: +39/0382/423413
 Fax.: +39/0382/423319
 E-Mail.: info@cerliani.it
 URL: <http://www.cerliani.it>

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
 C.F. e P.IVA (VAT Nr.) 02175920186
 IMPORT - EXPORT PV019626
 CAP.SOC € 1.010.000 INT.VERS.

GOLDEN WHEEL (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
CS-8000-25	130.01.000	KH			130.06.019	KP	w/o NBL	JE6105-0A	
CS-8000-30	130.01.000	KH			130.06.019	KP	w/o NBL	JE6105-0A	
CS-8113	130.09.180	KH	JQ6100-0A		130.10.052	KP	NBL		
CS-8150	115.00.274	KH		Hard chromium plated: thick thread	115.00.277	KP	w/o NBL		
CS-8150-519	115.00.274	KH		Hard chromium plated: thick thread	115.00.277	KP	w/o NBL		
CS-8150-555	115.00.273	KH		Hard chromium plated: light thread	115.00.277	KP	w/o NBL		
CS-8150-558	115.00.273	KH		Hard chromium plated: light thread	115.00.277	KP	w/o NBL		
CS-8150-895	115.00.274	KH		Hard chromium plated: thick thread	115.00.277	KP	w/o NBL		
CS-8172BT	130.15.085	KL		Standard execution					
CS-8173D-BT	130.19.045	KH			130.20.030	KP	w/o NBL		130.21.045
CS-8176D	130.19.045	KH			130.20.030	KP	w/o NBL		130.21.045
CS-8185D-BT	130.16.061	KH		Under trimming mach.	130.17.030	KP	w/o NBL		
CS-8233	130.08.758	KK			130.08.766	KP	w/o NBL		
CS-8233NR	130.08.776	KK		Short gib, cap system	130.08.766	KP	w/o NBL		
	130.08.776R	KK		Short gib, cap system, regulating needle guard	130.08.766	KP	w/o NBL		
CS-8243	130.11.165	KL							
	130.11.165R	KL		Regulating needle guard					
CS-8243NR	130.08.776	KK		Short gib, cap system	130.08.766	KP	w/o NBL		
	130.08.776R	KK		Short gib, cap system, regulating needle guard	130.08.766	KP	w/o NBL		
CS-8360	130.08.919	KK			130.08.926	KP	w/o NBL		
CS-8361	130.08.919	KK			130.08.926	KP	w/o NBL		
CS-8369	130.08.904	KK	JJ6100-1A	Short gib, w/o excentric milling for Asia market	130.08.014	KP	w/o NBL	JJ6105-1A	
CS-8369M	130.08.904	KK	JJ6100-1A	Short gib, w/o excentric milling for Asia market	130.08.014	KP	w/o NBL	JJ6105-1A	
CS-8369MH	130.08.904	KK	JJ6100-1A	Short gib, w/o excentric milling for Asia market	130.08.014	KP	w/o NBL	JJ6105-1A	
CS-8369MHR	130.08.904	KK	JJ6100-1A	Short gib, w/o excentric milling for Asia market	130.08.014	KP	w/o NBL	JJ6105-1A	
CS-8369MR	130.08.904	KK	JJ6100-1A	Short gib, w/o excentric milling for Asia market	130.08.014	KP	w/o NBL	JJ6105-1A	
CS-8369R	130.08.904	KK	JJ6100-1A	Short gib, w/o excentric milling for Asia market	130.08.014	KP	w/o NBL	JJ6105-1A	
CS-8370	130.19.000	KH			130.20.000	KP	w/o NBL		
CS-8371	130.19.000	KH			130.20.000	KP	w/o NBL		
CS-8703	130.01.147	KH			130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
CS-8703V	130.01.147	KH			130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
CS-8713	130.09.180	KH	JQ6100-0A		130.10.052	KP	NBL		
CS-8713V	130.09.180	KH	JQ6100-0A		130.10.052	KP	NBL		
CS-8810	130.08.904	KK	JJ6100-1A	Short gib, w/o excentric milling for Asia market	130.08.014	KP	w/o NBL	JJ6105-1A	
CS-8810H	130.08.919	KK			130.08.926	KP	w/o NBL		
CS-8820	130.08.904	KK	JJ6100-1A	Short gib, w/o excentric milling for Asia market	130.08.014	KP	w/o NBL	JJ6105-1A	
CS-8820H	130.08.919	KK			130.08.926	KP	w/o NBL		
CS3L-7241	130.15.024	KL							
CS3L-7243	130.15.010	KL							
CSA-3450-1	115.00.274	KH		Hard chromium plated: thick thread	115.00.277	KP	w/o NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl

Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)

Tel.: +39/0382/423413

Fax.: +39/0382/423319

 E-Mail.: info@cerliani.it

 URL: <http://www.cerliani.it>

R.E.A 251809 - ISCR.REG.IMP.PV02175920186

C.F. e P.IVA (VAT Nr.) 02175920186

IMPORT - EXPORT PV019626

CAP.SOC € 1.010.000 INT.VERS.

GOLDEN WHEEL (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
CSA-3450-3	115.00.274	KH		Hard chromium plated; thick thread	115.00.277	KP	w/o NBL		
CSA-3450-5	115.00.274	KH		Hard chromium plated; thick thread	115.00.277	KP	w/o NBL		
CSA-3500	115.00.273	KH		Hard chromium plated; light thread	115.00.277	KP	w/o NBL		
CSH-7800	130.12.186	KH			130.14.050	KP	w/o NBL		
					130.14.052	KP	NBL		
CSK-8101	115.00.276	KH		Hard chromium plated; thick thread	115.00.310	KP	NBL		
CSK-8101-519	115.00.276	KH		Hard chromium plated; thick thread	115.00.310	KP	NBL		
CSK-8101-895	115.00.276	KH		Hard chromium plated; thick thread	115.00.310	KP	NBL		
CSL-1720	130.16.062	KH			130.17.000	KP	w/o NBL		130.18.062
CSR-2401	130.08.904	KK	JJ6100-1A	Short gib, w/o excentric milling for Asia market	130.08.014	KP	w/o NBL	JJ6105-1A	
CSR-2401H	130.08.904	KK	JJ6100-1A	Short gib, w/o excentric milling for Asia market	130.08.014	KP	w/o NBL	JJ6105-1A	
CSU-4100H	130.09.180	KH	JQ6100-0A		130.10.052	KP	NBL		
CSU-4101	130.15.024	KL							
CSU-4150BT	130.15.085	KL		Standard execution					
	130.15.085R	KL		Regulating needle guard					
	130.15.085RDC10	KL		Regulating needle guard, DC10 coated					
CSU-4250BT	130.15.085	KL		Standard execution					
	130.15.085R	KL		Regulating needle guard					
	130.15.085RDC10	KL		Regulating needle guard, DC10 coated					
CSZ-3211	130.09.207	KH		Under trimming mach.	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL	JE6105 3A	
	130.09.207DC10	KH		DC10 coated, under trimming mach.	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL	JE6105 3A	
CSZ-3221	130.09.207	KH		Under trimming mach.	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL	JE6105 3A	
	130.09.207DC10	KH		DC10 coated, under trimming mach.	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL	JE6105 3A	

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl

Società a socio unico

 Via Mascherpa, n.61 - I-27100 Pavia (Italy)
 Tel.: +39/0382/423413
 Fax.: +39/0382/423319
 E-Mail.: info@cerliani.it
 URL: <http://www.cerliani.it>

 R.E.A 251809 - ISCR.REG.IMP.PV02175920186
 C.F. e P.IVA (VAT Nr.) 02175920186
 IMPORT - EXPORT PV019626
 CAP.SOC € 1.010.000 INT.VERS.